U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO: US 6,736,950 B1

DATED: May 18, 2004

INVENTOR(S): Klausjörg Klein, Walter Kühhiri, Siegfried Kuphal

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Claim 3, Line 2: "and" to be replaced with "are"

Claim 10, Line 9: "and having on average from 2 to 20" to be inserted between "10,000" and "radically"

Claim 16, Line 4: "benzophone, benzophone " to be replaced with "benzophenone, benzophenone"

Claim 17, Line 2: "radical initiators" to be replaced with "radical initiator is"

Claim 21, Line 4: "that" to be inserted between "substrate" and "are directly"

MAILING ADDRESS OF SENDER: Hilmar Fricke, Esq. PATENT NO. 6,736,950 B1

E.I. du Pont de Nemours & Company

Legal Patent Records Center

4417 Lancaster Pike Wilmington, DE 19805

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Contraction of the state of the